

Strawberry

Sample ID: 2508AFL1513.6090

Internal Lab ID: ATL-31735

Client

Strain: -

Aera

Matrix: Ingestible

Received: 08/21/2025

Lic. # 2026-N-2229181

Type: Soft Chew

Completed: 08/22/2025

2342 Thomas St,

Unit Weight: 8.4 g

Batch#: AEGMJ093025

Hollywood, Florida 33020



Summary

Test

Date Tested

Result

Batch

Complete

Cannabinoids

08/22/2025

Complete

Basic Potency

Complete

0.23%
Total THC

0.07%
Total CBD

9.28%
Total Cannabinoids

Analyte	LOQ	Result	Result	Analyte	LOQ	Result	Result
	%	%	mg/unit		%	%	mg/unit
CBDVa	0.00	ND	ND	CBN	0.00	0.04	3.3
CBDV	0.00	ND	ND	Δ^9 -THC	0.00	0.23	19.4
CBDa	0.00	ND	ND	Δ^8 -THC	0.00	8.94	751.1
CBGa	0.00	ND	ND	(6aR,9S)-d10-THC	0.00	ND	ND
CBG	0.00	ND	ND	(6aR,9R)-d10-THC	0.00	ND	ND
CBD	0.00	0.07	5.5	CBC	0.00	ND	ND
THCV	0.00	ND	ND	CBCa	0.00	ND	ND
Δ^8 -THCV	0.00	ND	ND	THCa	0.00	ND	ND
THCVa	0.00	ND	ND	Total		9.28	779.3

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2

Date Tested: 08/22/2025

Equations: Total Active THC = $9\text{THC} + (0.877 * \text{THCa})$, Total Active CBD = $\text{CBD} + (0.877 * \text{CBDA})$

NT
Not Tested
Document ID:
Moisture Content

NT
Not Tested
Document ID:
Water Activity

Not Tested
Document ID:
Foreign Matter




Paulo Gonzalez
Laboratory Director
08/22/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.